

INFORMAZIONI PERSONALI

NOME: Jose Ramon

COGNOME: Fiore

LUOGO E DATA DI NASCITA Ramos Mejia (Argentina 29/01/1960)

CODICE FISCALE:FRIJRM60A29Z600C

QUALIFICA PROFESSIONALE:RICERCATORE CONFERMATO

RECAPITI CONNESSI ALL'ATTIVITA' DI DOCENZA

- LUOGO DI RICEVIMENTO (specificare struttura/ufficio e relativo indirizzo): Clinica di Malattie Infettive,OORR Foggia
- GIORNATE ED ORARI: Previo app. telefonico
- TELEFONO: 0881/732217-3297742754
- E MAIL:jose.fiore@unifg.it

BREVE CURRICULUM PROFESSIONALE, DIDATTICO E SCIENTIFICO: Laurea in Medicina e Chirurgia,Univ. Di Bari (1987); Spec.in Malattie Infettive,Univ. Di Bari (1990); Dottorato di Ricerca in Scienze Infettivologiche,Univ. Di Bari, 1994; 1992-1995 Guest scientist, Tumorbiology and Microbiology Center, Karolinska Institute, Stoccolma, Svezia;1996/2005 Dirigente Medici di primo livello, Clinica di Malattie Infettive, Univ. Di Bari; 2003 PhD in Infection biology, Karolinska Inst. Stoccolma; 2004-a tutt'oggi : Ricercatore in Malattie Infettive, Univ. Di Foggia

TITOLI DI STUDIO: Laurea in Medicina e Chirurgia, Specializzazione in Malattie Infettive e Psicoterapia psicosomatica, Dottorato di Ricerca in Scienze Infettivologiche, PhD in Infection Biology

TITOLI ED ESPERIENZE PROFESSIONALI

ATTIVITA' DI DOCENZA UNIVERSITARIA: Malattie infettive, Microbiologia, Microbiologia Clinica, Psicologia Clinica

ATTIVITA' DI RICERCA E PUBBLICAZIONI SCIENTIFICHE

1. **Di Stefano M** et al. Occult HBV infection in hemodialysis setting is marked by presence of isolated antibodies to HBcAg and HCV.
J Nephrol. 2009 May-Jun;22(3):381-6.
2. **Di Stefano M** et al. In vitro and in vivo human herpesvirus 8 infection of placenta.
PLoS One. 2008;3(12):e4073.

3. **Di Stefano M** et al. Human herpesvirus 8 (HHV-8) infection of human placental histocultures. *Retrovirology*. 2008 5(S):1-2
4. **Di Stefano M.** et al . "In vitro" zidovudine-induced apoptosis demonstrated by a model of placental histoculture useful for the study of the apoptotic effects of antiretroviral drugs. *European Journal of Inflammation* 2008
5. Fiore JR, Volpe A, **Di Stefano M**, et al. Detection of antibodies to human herpesvirus 8 (HHV-8) among women of child-bearing age in the apulia region (sud-eastern Italy). *European Journal of Inflammation*. 2006, 4:51-55.
6. Ingrassia F, Fiore JR, Vimercati A, Tateo MG, Campanale F, Volpe A, **Di Stefano M**, et al." Isolated antibodies against the core antigen of hepatitis B virus in HIV-infected pregnant women". *Minerva Ginecol*. 2006 Jun;58(3):255-6
7. **Di Stefano M**, et al . A search for antibodies to HHV-8 in hemodialysis patients from South-Eastern Italy argues against HHV-8 spread in hemodialysis units. *J Clin Virol*. 2006 Sep;37(1):75-6.
8. **Di Stefano M**, et al. HIV-1 Structural and regulatory proteins and and neurotoxicity. *The Neurology of AIDS*. Second edition 2005 Oxford press USA.
9. **Di Stefano M**, et al. In vitro productive infection of non polarised cervical and rectal biopsies by syncytium-inducing and non syncytium inducing primary HIV-1 isolates. *New Microbiol*. 2004 Jan;27(1):71-4.
10. Fiore JR, Suligoi B, Saracino A, **Di Stefano M** et al. Correlates of HIV-1 shedding in cervicovaginal secretions and effects of antiretroviral therapies. *AIDS*. 2003 Oct 17;17(15):2169-76.
11. Monno L, Punzi G, Scarabaggio T, Saracino A, Brindicci G, Fiore JR, Iambrenghi OC, **Di Stefano M**, et al. Mutational patterns of paired blood and rectal biopsies in HIV-infected patients on HAART. *J Med Virol*. 2003 May;70(1):1-9.
12. **Di Stefano M** et al. Intracellular and cell-free (infectious) HIV-1 in rectal mucosa. *J Med Virol*. 2001 Dec;65(4):637-43.
13. Saracino A, **Di Stefano M** et al. Cervicovaginal HIV-1 shedding in pregnant women near delivery. *Antivir Ther*. 2001 Mar;6(1):79-81
14. Favia A, **Di Stefano M**, et al."In vitro" spontaneous production of B-chemokines by endocervical and endometrial short-term bioptic cultures. *New Microbiol*. 2001 Jan;24(1):95-8.

15. Fiore JR, Laddago V, Lepera A, La Grasta L, **Di Stefano M**. Limited secretory-IgA response in cervicovaginal secretions from HIV-1 infected, but not high risk seronegative women: lack of correlation to genital viral shedding. *New Microbiol.* 2000 Jan;23(1):85-92.
16. Saracino A, **Di Stefano M** et al. Frequent detection of HIV-1 RNA but low rates of HIV-1 isolation in cervicovaginal secretions from infected women. *New Microbiol.* 2000 Jan;23(1):79-83.
17. Sabri F, Tresoldi E, **Di Stefano M**. et al. Nonproductive human immunodeficiency virus type 1 infection of human fetal astrocytes: independence from CD4 and major chemokine receptors. *Virology.* 1999 Nov 25;264(2):370-84.
18. Favia A, **Di Stefano M** et al. Phenotypic patterns of HIV-1 clonal populations during highly active antiretroviral therapy (HAART). *New Microbiol.* 1999 Oct;22(4):301-7.
19. Monno L, Zimatore GB, **Di Stefano M** Reduced concentrations of HIV-RNA and TNF-alpha coexist in CSF of AIDS patients with progressive multifocal leukoencephalopathy. *J Neurol Neurosurg Psychiatry.* 1999 Sep;67(3):369-73.
20. Fiore JR, **Di Stefano M** et al Evidence for a local synthesis of beta-chemokines within the genital tract of both HIV-1-infected and uninfected women. *J Acquir Immune Defic Syndr.* 1999 Jul 1;21(3):255-7.
21. **Di Stefano M**, et al. Detection of multiple drug-resistance-associated pol mutations in cervicovaginal secretions from women largely treated with antiretroviral agents. *AIDS.* 1999 May 28;13(8):992-4.
22. Fiore JR, Lepera A, **Di Stefano M** et al. Frequent cervicovaginal shedding of HIV-1 in asymptomatic, non-severely immunodeficient women. *AIDS.* 1999 Apr 1;13(5):626-7.
23. Saracino A, **Di Stefano M** et al. Presenza di HIV-1 RNA nelle secrezioni cervico-vaginali di donne HIV-1 sieropositive: correlati clinico-immunologici. *Giornale Italiano di Malattie Infettive* 1999. Vol 5:152:157.
24. Monno L, Cargnel A, Soranzo ML, Chirianni A, Ferraro T, **Di Stefano M**, et al. Comparison of once and twice daily dosing of didanosine in combination with stavudine for the treatment of HIV-1 infection. *AI 454-146 Team. Antivir Ther.* 1999;4(4):195-202.
25. Janabi N, **Di Stefano M** et al. Induction of human immunodeficiency virus type 1 replication in human glial cells after proinflammatory cytokines stimulation: effect of IFN gamma, IL1beta, and TNFalpha on differentiation and chemokine production in glial cells. *Glia.* 1998 Aug;23(4):304-15.
26. **Di Stefano M** et al. Neurological disorders during HIV-1 infection correlate with viral load in cerebrospinal fluid but not with virus phenotype. *AIDS.* 1998 May 7;12(7):737-43

27. Monno L, **Di Stefano M** et al. Measurement of viral sequences in cerebrospinal fluid of AIDS patients with cerebral white-matter lesions using polymerase chain reaction. *AIDS*. 1998 Apr 16;12(6):581-90.
28. Fiore JR, La Grasta L, **Di Stefano M** et al. The use of serum-free medium delays, but does not prevent, the cytotoxic effects of seminal plasma in lymphocyte cultures: implications for studies on HIV infection. *New Microbiol*. 1997 Oct;20(4):339-44.
29. Fiore JR, Zhang YJ, Bjorndal A, **Di Stefano M**, et al. Biological correlates of HIV-1 heterosexual transmission. *AIDS*. 1997 Jul 15;11(9):1089-94.
30. **Di Stefano M** et al. In vivo evidence of HIV-1 productive infection in cerebrospinal fluid of patients with HIV-1 encephalopathy. *AIDS*. 1997 Apr;11(5):698-9.
31. Angarano G, Fiore JR, **Di Stefano M** et al. Human immunodeficiency virus (HIV) type 1-specific B cell response in seronegative subjects at risk for HIV exposure. *J Infect Dis*. 1996 Aug;174(2):447-8.
32. **Di Stefano M** et al. Analysis of ENV V3 sequences from HIV-1-infected brain indicates restrained virus expression throughout the disease. *J Med Virol*. 1996 May;49(1):41-8
33. **Di Stefano M** et al. HIV type 1 V3 sequences and the development of dementia during AIDS. *AIDS Res Hum Retroviruses*. 1996 Apr 10;12(6):471
34. Chiodi F., **Di Stefano M**. et al. Contribution of V3 and reverse transcriptase sequence analysis to understanding the concept of HIV-1 neurotropism. *Technical Advances in AIDS Research in the Human Nervous System*. Edited by E.O. Major and JA Levy Plenum Press, New York, 1995
35. **Di Stefano M** et al. P24 antigen detection, viral isolation, DNA-PCR and in vitro antibody production for the diagnosis of HIV-1 latent infection in heterosexual women at high risk for HIV-1 infection. *Genitourin Med*. 1995 Apr;71(2):123-5.
36. **Di Stefano M** et al. Reverse transcriptase sequence of paired isolates of cerebrospinal fluid and blood from patients infected with human immunodeficiency virus type 1 during zidovudine treatment. *J Clin Microbiol*. 1995 Feb;33(2):352-5.
37. **Di Stefano M** et al. Linfomonociti periferici da alcune donne sieronegative ad alto rischio di infezione possono produrre in vitro anticorpi HIV-1 specifici in assenza di segni di infezione latente da HIV-1. *Giornale italiano di Malattie infettive*. 1995, 1:289-292.
38. Fiore JR, D Potenza D, L. Monno L, Appice A, **Di Stefano M** et al. Detection of HCV RNA in serum and seminal fluid from HIV-1 co-infected intravenous drug addicts. *J Med Virol*. 1995, 46:364-7

39. Fiore JR, Bjorndal A, Peipke KA, **Di Stefano M** et al. The biological phenotype of HIV-1 is usually retained during and after sexual transmission. *Virology*. 1994 Oct;204(1):297-303.
40. **Di Stefano M** et al. Zidovudine-resistant variants of HIV-1 in brain. *Lancet*. 1993 Oct 2;342(8875):865.
41. **Di Stefano M** et al. Preliminary data on the establishment of permanent cell lines continuously producing HIV-1: factors affecting the transmissibility and adaptability of "wild" HIV-1 isolates. *New Microbiol*. 1993 Jan;16(1):19-26
42. Fiore JR, Angarano G, Fico C, **Di Stefano M** et al. HIV-1 isolation from small amounts of whole blood: a technical evaluation. *Microbiologica*. 1992 Jan;15(1):35-44.
43. **Di Stefano M.**, et al. Note tecniche sull'isolamento dell' HIV-1 da linfomonociti periferici: impiego degli anticorpi anti -IFN. *Bollettino di microbiologia e Indagini di Laboratorio* .1992. 12:21-23.
44. **Di Stefano M** et al. L'isolamento dell'HIV-1 da linfomonociti periferici nella valutazione clinico-prognostica dei soggetti infetti. *L'igiene moderna* 1992, 98:300-306.
45. Fiore JR, Angarano G, Fico C, Quarto M, Congedo P, **Di Stefano M** et al. Pokeweed mitogen-stimulated peripheral blood mononuclear cells from at-risk seronegative subjects produce in vitro HIV-1-specific antibodies. *AIDS*. 1991 Aug;5(8):1034-6.
46. Fiore JR, Angarano G, Fico C, **Di Stefano M** et al. Isolation of human immunodeficiency virus (HIV) from whole blood *Boll Soc Ital Biol Sper*. 1991 May;67(5):535-42. Italian.
47. Fiore JR, Angarano G, Fico C, **Di Stefano M** et al. Analisi della cinetica replicativi in coltura primaria di isolati di HIV-1 da soggetti infetti in vario stadio di malattia. *Boll Soc Ital Biol Sper*. 1991 5:529-534 Italian.
48. Fiore JR, Angarano G, Fico C, Monno L, Zimatore GB, **Di Stefano M** et al. Different biological properties of paired HIV-1 isolates from peripheral blood mononuclear cells and cerebrospinal fluid. *Acta Neurologica* 1991, 13:31-36

